	1 19		1 55	T
L Númber	Hits	Search Text	DB	Time stamp
1	22	("20010054133" or "6658417" or "6490722" or "6035306" or	USPAT;	2004/06/08 13:13
		"5960437" or "5778392" or "5544359" or "5506986" or	US-PGPUB;	
i		"5333315" or "5317727" or "5131087").pn.	EPO; JPO;	
			DERWENT;	
_			IBM_TDB	
2	6	(("20010054133" or "6658417" or "6490722" or "6035306" or	USPAT;	2004/06/08 13:39
		"5960437" or "5778392" or "5544359" or "5506986" or	US-PGPUB;	
		"5333315" or "5317727" or "5131087").pn.) and acquir\$5	EPO; JPO;	
		near9 (data or database or file or information or table or	DERWENT;	
2	5	record)	IBM_TDB	2004/06/09 42:44
3	5	((("20010054133" or "6658417" or "6490722" or "6035306" or "5960437" or "5778392" or "5544359" or "5506986" or	USPAT;	2004/06/08 13:14
		"5333315" or "5317727" or "5131087").pn.) and acquir\$5	US-PGPUB; EPO; JPO;	
		near9 (data or database or file or information or table or	DERWENT;	
		record)) and allocat\$5	IBM TDB	
4	0	(((("20010054133" or "6658417" or "6490722" or "6035306" or	USPAT:	2004/06/08 13:14
-	· ·	"5960437" or "5778392" or "5544359" or "5506986" or	US-PGPUB;	2004/00/00 13.15
		"5333315" or "5317727" or "5131087").pn.) and acquir\$5	EPO; JPO;	
		near9 (data or database or file or information or table or	DERWENT:	
ı		record)) and allocat\$5) and mirgrat\$6	IBM_TDB	
5	1	(((("20010054133" or "6658417" or "6490722" or "6035306" or	USPAT;	2004/06/08 13:15
	•	"5960437" or "5778392" or "5544359" or "5506986" or	US-PGPUB;	2004/00/00 10:10
		"5333315" or "5317727" or "5131087").pn.) and acquir\$5	EPO; JPO;	
		near9 (data or database or file or information or table or	DERWENT:	
		record)) and allocat\$5) and migrat\$6	IBM TDB	
6	1	((((("20010054133" or "6658417" or "6490722" or "6035306"	USPAT;	2004/06/08 13:15
		or "5960437" or "5778392" or "5544359" or "5506986" or	US-PGPUB;	
		"5333315" or "5317727" or "5131087").pn.) and acquir\$5	EPO; JPO;	
		near9 (data or database or file or information or table or	DERWENT;	
'		record)) and allocat\$5) and migrat\$6) and storage	IBM_TDB	
7	21	(("20010054133" or "6658417" or "6490722" or "6035306" or	USPAT;	2004/06/08 13:15
		"5960437" or "5778392" or "5544359" or "5506986" or	US-PGPUB;	
		"5333315" or "5317727" or "5131087").pn.) and storage	EPO; JPO;	1
			DERWENT;	
_			IBM_TDB	
8	18	(("20010054133" or "6658417" or "6490722" or "6035306" or	USPAT;	2004/06/08 13:16
		"5960437" or "5778392" or "5544359" or "5506986" or	US-PGPUB;	
		"5333315" or "5317727" or "5131087").pn.) and storage near2	EPO; JPO;	
		(device or system or position or unit or control\$6 or apparatus)	DERWENT;	
	4.4	///IIOOO40054430II *** IIOO50447II *** IIO400700II *** IIOO05000II ***	IBM_TDB	0004/00/00 40 45
9	14	((("20010054133" or "6658417" or "6490722" or "6035306" or	USPAT;	2004/06/08 13:17
		"5960437" or "5778392" or "5544359" or "5506986" or	US-PGPUB;	
		"5333315" or "5317727" or "5131087").pn.) and storage near2	EPO; JPO;	
		(device or system or position or unit or control\$6 or apparatus)) and storage near6 (plurality or multiple or number)	DERWENT;	
10	14	· · · · · · · · · · · · · · · · · · ·	USPAT;	2004/06/08 13:17
10	17	((20010034133 01 0036417 01 0490722 01 0033300 01 05960437" or "5778392" or "5544359" or "5506986" or	US-PGPUB;	2004/06/06 13.17
		"5333315" or "5317727" or "5131087").pn.) and storage near6	EPO; JPO;	
		(plurality or multiple or number)	DERWENT:	}
			IBM_TDB	
11	5	(("20010054133" or "6658417" or "6490722" or "6035306" or	USPAT;	2004/06/08 13:21
''	9	"5960437" or "5778392" or "5544359" or "5506986" or	US-PGPUB;	2004/00/00 13.21
		"5333315" or "5317727" or "5131087").pn.) and acquir\$5	EPO; JPO;	
		near2 (data or database or file or information or table or	DERWENT;	
		record)	IBM_TDB	
12	16	· · · · · · · · · · · · · · · · · · ·	USPAT;	2004/06/08 13:40
		"5960437" or "5778392" or "5544359" or "5506986" or	US-PGPUB;	
1		"5333315" or "5317727" or "5131087").pn.) and (performance	EPO; JPO;	
		or tuning)	DERWENT;	
		-	IBM_TDB	
13	6	(("20010054133" or "6658417" or "6490722" or "6035306" or	USPAT;	2004/06/08 13:35
		"5960437" or "5778392" or "5544359" or "5506986" or	US-PGPUB;	
		"5333315" or "5317727" or "5131087").pn.) and (conversion	EPO; JPO;	
		or convert\$4 or translat\$5 or interpreter\$6)	DERWENT;	
1		,	IBM_TDB	I

14	7	(("20010054133" or "6658417" or "6490722" or "6035306" or	USPAT;	2004/06/08 13:26
		"5960437" or "5778392" or "5544359" or "5506986" or "5333315" or "5317727" or "5131087").pn.) and parallel\$6	US-PGPUB; EPO; JPO;	
		5555515 OF 5517727 OF 5151067 J.pn.) and parallelipo	DERWENT;	
	Ì		IBM_TDB	
15	1	(("20010054133" or "6658417" or "6490722" or "6035306" or	USPAT;	2004/06/08 13:27
		"5960437" or "5778392" or "5544359" or "5506986" or	US-PGPUB;	
		"5333315" or "5317727" or "5131087").pn.) and parallelism\$6	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
16	103730	acquir\$5 near4 (data or database or file or information or table	USPAT;	2004/06/08 13:33
		or record)	US-PGPUB;	
			EPO; JPO; DERWENT;	
			IBM_TDB	
17	2	(("20010054133" or "6658417" or "6490722" or "6035306" or	USPAT;	2004/06/08 13:35
	_	"5960437" or "5778392" or "5544359" or "5506986" or	US-PGPUB;	
•		"5333315" or "5317727" or "5131087").pn.) and schema and	EPO; JPO;	
	,	index\$5 and (log or logged)	DERWENT;	
			IBM_TDB	
18	284	(acquir\$5 near4 (data or database or file or information or	USPAT;	2004/06/08 13:35
		table or record)) and schema and index\$5 and (log or logged)	US-PGPUB; EPO; JPO;	
			DERWENT;	
			IBM TDB	
19	9	((acquir\$5 near4 (data or database or file or information or	USPAT;	2004/06/08 13:37
		table or record)) and schema and index\$5 and (log or logged))	US-PGPUB;	
		and (conversion or convert\$4 or translat\$5 or interpreter\$6)	EPO; JPO;	
		with logical with physical	DERWENT;	
00		//	IBM_TDB	0004/00/00 40 00
20	3	((acquir\$5 near4 (data or database or file or information or	USPAT;	2004/06/08 13:36
		table or record)) and schema and index\$5 and (log or logged)) and (conversion or convert\$4 or translat\$5 or interpreter\$6)	US-PGPUB; EPO; JPO;	
		with logical with physical with storage	DERWENT;	
		, man regional man projector man elerage	IBM_TDB	
21	15	((acquir\$5 near4 (data or database or file or information or	USPAT;	2004/06/08 13:37
	1.	table or record)) and schema and index\$5 and (log or logged))	US-PGPUB;	
		and (conversion or convert\$4 or translat\$5 or interpreter\$6)	EPO; JPO;	
		same logical same physical same storage	DERWENT;	
22	0	(("20010054133" or "6658417" or "6490722" or "6035306" or	IBM_TDB USPAT;	2004/06/08 13:37
		"5960437" or "5778392" or "5544359" or "5506986" or	US-PGPUB:	2004/00/00 10:01
		"5333315" or "5317727" or "5131087").pn.) and (conversion	EPO; JPO;	
		or convert\$4 or translat\$5 or interpreter\$6) same logical same	DERWENT;	
	_	physical same storage	IBM_TDB	
23	0	(("20010054133" or "6658417" or "6490722" or "6035306" or	USPAT;	2004/06/08 13:37
		"5960437" or "5778392" or "5544359" or "5506986" or "53333315" or "5317727" or "5131087").pn.) and (conversion	US-PGPUB; EPO; JPO;	
		or convert\$4 or translat\$5 or interpreter\$6) same logical same	DERWENT;	
		physical	IBM_TDB	'
24	349	(acquir\$5 near4 (data or database or file or information or	USPAT;	2004/06/08 13:38
		table or record)) and (conversion or convert\$4 or translat\$5 or	US-PGPUB:	İ
		interpreter\$6) with logical with physical	EPO; JPO;	
			DERWENT;	
25	9130	(annuire many) (data as database as file as information as	IBM_TDB	2004/00/00 42:20
25	8130	(acquir\$5 near4 (data or database or file or information or table or record)) and (conversion or convert\$4 or translat\$5 or	USPAT; US-PGPUB;	2004/06/08 13:39
		interpreter\$6) same storage	EPO; JPO;	
	1	interpreteriory during otorage	DERWENT;	
	1		IBM_TDB	
26	0	((("20010054133" or "6658417" or "6490722" or "6035306" or	USPAT;	2004/06/08 13:39
		"5960437" or "5778392" or "5544359" or "5506986" or	US-PGPUB;	
		"5333315" or "5317727" or "5131087").pn.) and parallelism\$6)	EPO; JPO;	
		and (conversion or convert\$4 or translat\$5 or interpreter\$6)	DERWENT;	
	l	with logical with physical	IBM_TDB	L

			/	
27 .	198	((acquir\$5 near4 (data or database or file or information or table or record)) and (conversion or convert\$4 or translat\$5 or interpreter\$6) same storage) and (conversion or convert\$4 or translat\$5 or interpreter\$6) with logical with physical	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/06/08 13:41
28	159	(((acquir\$5 near4 (data or database or file or information or table or record)) and (conversion or convert\$4 or translat\$5 or interpreter\$6) same storage) and (conversion or convert\$4 or translat\$5 or interpreter\$6) with logical with physical) and (conversion or convert\$4 or translat\$5 or interpreter\$6) with storage	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/08 13:41
29	159	((((acquir\$5 near4 (data or database or file or information or table or record)) and (conversion or convert\$4 or translat\$5 or interpreter\$6) same storage) and (conversion or convert\$4 or translat\$5 or interpreter\$6) with logical with physical) and (conversion or convert\$4 or translat\$5 or interpreter\$6) with storage) and acquir\$5 near9 (data or database or file or information or table or record)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/08 13:39
30	159	((((acquir\$5 near4 (data or database or file or information or table or record)) and (conversion or convert\$4 or translat\$5 or interpreter\$6) same storage) and (conversion or convert\$4 or translat\$5 or interpreter\$6) with logical with physical) and (conversion or convert\$4 or translat\$5 or interpreter\$6) with storage) and acquir\$5 near4 (data or database or file or information or table or record)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/08 13:39
31	120	(((((acquir\$5 near4 (data or database or file or information or table or record)) and (conversion or convert\$4 or translat\$5 or interpreter\$6) same storage) and (conversion or convert\$4 or translat\$5 or interpreter\$6) with logical with physical) and (conversion or convert\$4 or translat\$5 or interpreter\$6) with storage) and acquir\$5 near4 (data or database or file or information or table or record)) and (performance or tuning)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/08 13:40
32	43	(((((acquir\$5 near4 (data or database or file or information or table or record)) and (conversion or convert\$4 or translat\$5 or interpreter\$6) same storage) and (conversion or convert\$4 or translat\$5 or interpreter\$6) with logical with physical) and (conversion or convert\$4 or translat\$5 or interpreter\$6) with storage) and acquir\$5 near4 (data or database or file or information or table or record)) and (performance and tuning)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/08 13:42
33	4	((((((acquir\$5 near4 (data or database or file or information or table or record)) and (conversion or convert\$4 or translat\$5 or interpreter\$6) same storage) and (conversion or convert\$4 or translat\$5 or interpreter\$6) with logical with physical) and (conversion or convert\$4 or translat\$5 or interpreter\$6) with storage) and acquir\$5 near4 (data or database or file or information or table or record)) and (performance and tuning)) and (707/\$.ccls. or 717/\$.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/08 13:42
34	86108	(conversion or convert\$4 or translat\$5 or interpreter\$6) with storage	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/08 13:41
35	1280	((conversion or convert\$4 or translat\$5 or interpreter\$6) with storage) and (conversion or convert\$4 or translat\$5 or interpreter\$6) with logical with physical	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/08 13:41
36	814	(((conversion or convert\$4 or translat\$5 or interpreter\$6) with storage) and (conversion or convert\$4 or translat\$5 or interpreter\$6) with logical with physical) and storage with logical with physical	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/06/08 13:41
37	46	((((conversion or convert\$4 or translat\$5 or interpreter\$6) with storage) and (conversion or convert\$4 or translat\$5 or interpreter\$6) with logical with physical) and storage with logical with physical) and (performance and tuning)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/08 13:42

38 -	15	(((((conversion or convert\$4 or translat\$5 or interpreter\$6)	USPAT;	2004/06/08 13:43
		with storage) and (conversion or convert\$4 or translat\$5 or	US-PGPUB;	
•		interpreter\$6) with logical with physical) and storage with	EPO; JPO;	
		logical with physical) and (performance and tuning)) and	DERWENT;	
		(707/\$.ccls. or 717/\$.ccls.)	IBM_TDB	
39	14	((((((conversion or convert\$4 or translat\$5 or interpreter\$6)	USPAT;	2004/06/08 13:44
		with storage) and (conversion or convert\$4 or translat\$5 or	US-PGPUB;	
		interpreter\$6) with logical with physical) and storage with	EPO; JPO;	
		logical with physical) and (performance and tuning)) and	DERWENT;	
		(707/\$.ccls. or 717/\$.ccls.)) and (mapping)	IBM_TDB	
40	15	((((((conversion or convert\$4 or translat\$5 or interpreter\$6)	USPAT;	2004/06/08 13:44
		with storage) and (conversion or convert\$4 or translat\$5 or	US-PGPUB;	
		interpreter\$6) with logical with physical) and storage with	EPO; JPO;	
		logical with physical) and (performance and tuning)) and	DERWENT;	
		(707/\$.ccls. or 717/\$.ccls.)) and (mapping or map)	IBM_TDB	
41	15	((((((conversion or convert\$4 or translat\$5 or interpreter\$6)	USPAT;	2004/06/08 13:44
		with storage) and (conversion or convert\$4 or translat\$5 or	US-PGPUB;	
		interpreter\$6) with logical with physical) and storage with	EPO; JPO;	
		logical with physical) and (performance and tuning)) and	DERWENT;	
		(707/\$.ccls. or 717/\$.ccls.)) and (mapp\$4 or map)	IBM TDB	